



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## ALGEBRA.

Conducted by J. M. COLAW, Monterey, Va. All contributions to this department should be sent to him.

### SOLUTIONS OF PROBLEMS.

74. Proposed by NELSON S. RORAY, South Jersey Institute, Bridgeton, N. J.

Solve according to the conditions given :

$$\sqrt{x+1} + 1 \quad x = \frac{3}{1+x}$$

First, square without transposing and then solve ; second, transpose  $\sqrt{x+1}$  and then solve. Obtain the same roots as in the first way of solving.

I. Solution by J. M. BOORMAN, Counselor, Inventor, etc., etc., Hewlett, L. I., N. Y.

$$\text{Solve ("conditions given")} \quad \sqrt{x+1} + 1 \quad x = \frac{3}{1+x} \dots\dots\dots (A).$$

The equation is of first degree.  $\therefore$  can have but one root, *e. g.*

FIRST. The *conditioned* operation gives,  $2(x+1) + 2\sqrt{(x+1)}\sqrt{x}$   
 $= 1 + \frac{9}{1+x}$ . Thence  $\sqrt{x+1} \cdot \sqrt{x} = -(x+1) + \frac{1}{2} + \frac{9}{2(1+x)}$ .

Square, etc., and reduce :  $\therefore 8\frac{1}{2}(1+x)^2 - 4\frac{1}{2}(1+x) = 20\frac{1}{2}$ .

Divide and supply :  $\therefore (1+x)^2 - \frac{1}{2}(1+x) + \frac{1}{4} = \frac{5}{2}$ .

$$\therefore x = \frac{4}{5}; x_1 = -\frac{1}{5}.$$

$$\text{BUT, apply } x_1 \text{ to the given equation. } \therefore \left(\frac{3+4}{1\sqrt{7}}\right)\sqrt{-1} = \frac{3\sqrt{7}}{3\sqrt{-1}} = \frac{1\sqrt{7}}{1\sqrt{-1}}.$$

$$\text{Now } \frac{3+4}{1\sqrt{7}} = 1\sqrt{7}. \quad \therefore 1\sqrt{7}\sqrt{-1} = 1\sqrt{7}\left(\frac{1}{\sqrt{-1}}\right).$$

$$\therefore -1\sqrt{7} = 1\sqrt{7}; \text{ or } 2\sqrt{7} = 0!! \text{ So } x_1 = -\frac{1}{5} \text{ is not a root of equation (A),}$$

but of its factor  $\sqrt{x+1} + 1 \quad x = \frac{-3}{1+x}$ , that *inevitably* results by the conditioned involution. Hence  $x = \frac{4}{5}$  *only*.

SECOND (direct) "way." Transpose and square.

$$\therefore x = x+1-6 + \frac{9}{1+x}. \text{ Thence } x = \frac{4}{5}, [\text{the "same root as in the first way."}]$$

PROOF. Apply *this*  $x = \frac{4}{5}$ , in equation (A).

$$\therefore 1\sqrt{\frac{9}{5}} + 1\sqrt{\frac{4}{5}} = \frac{3\sqrt{5}}{1\sqrt{9}}. \quad \therefore \text{as } \frac{3+2}{1\sqrt{5}} = \frac{5}{1\sqrt{5}} = 1\sqrt{5}, \text{ so } 1\sqrt{5} = \frac{3\sqrt{5}}{1\sqrt{9}} = 1\sqrt{5},$$

*i. e.*  $1\sqrt{5} = 1\sqrt{5}$ , satisfies equation (A).  $\therefore x = \frac{4}{5}$  is the *one* root of (A). Q. E. D.

## II. Solution by J. SCHEFFER, A. M., Hagerstown, Md.

Squaring the equation as it stands, we get  $2x+1+2\sqrt{x(x+1)}=\frac{9}{x+1}$ .

Clearing of fractions and leaving the radical by itself in the first member, we get  $2(x+1)\sqrt{x(x+1)}=8-3x-2x^2$ . Squaring, arranging, and cancelling, we get the quadratic  $35x^2+52x=64$ , the two roots of which are  $x=\frac{4}{5}$  and  $-\frac{16}{7}$ , the former of which satisfies the equation  $\sqrt{x+1}+\sqrt{x}=\frac{3}{\sqrt{x+1}}$ , and the latter the equation  $\sqrt{x+1}-\sqrt{x}=\frac{3}{\sqrt{x+1}}$ .

Clearing the original equation of its denominator  $\sqrt{x+1}$ , we have  $x+1+\sqrt{x(x+1)}=3$ , or  $\sqrt{x(x+1)}=2-x$ . Squaring, we have  $5x=4$ .  $\therefore x=\frac{4}{5}$ .

III. Solution by F. M. McGAW, A. M., Professor of Mathematics in Bordentown Military Institute, Bordentown, N. J.; CHAS. C. CROSS, Laytonsville, Md.; G. B. M. ZERR, A. M., Ph. D., The Russell College, Lebanon, Va.; and J. P. BURDETTE, Class of '97, Dickinson College, Carlisle, Pa.

$$(1), \quad \sqrt{x+1}+\sqrt{x}=\frac{3}{\sqrt{1+x}}, \quad 2x+1+2\sqrt{x(x+1)}=\frac{9}{1+x}.$$

$$\therefore 8-2x^2-3x=2(x+1)\sqrt{x(x+1)}. \quad \therefore 35x^2+52x=64. \quad \therefore x=\frac{4}{5}, \text{ or } -2\frac{2}{7}.$$

(2). Regarding  $\sqrt{x+1}$  as affected by the  $\pm$  sign

$$\sqrt{x}=\frac{2-x}{\sqrt{1+x}} \quad \text{or} \quad \frac{4+x}{\sqrt{1+x}}.$$

$$\therefore x=(4-4x+x^2)/(1+x), \text{ or } (16+8x+x^2)/(1+x).$$

$$\therefore x=\frac{4}{5}, \text{ or } x=-2\frac{2}{7}.$$

Also solved by A. H. BELL.

75. Proposed by the late B. F. BURLESON, Oneida Castle, N. Y.

Mr. B's farm is in shape a quadrilateral, both inscriptible and circumscriptible, and contains an area of  $k=10752$  square rods. The square described on the radius of its inscribed circle contains  $r^2=2304$  square rods; while the square described on the radius of its circumscribed circle contains an area of  $R^2=7345$  square rods. Required the lengths of the sides of his farm.

I. Solution by G. B. M. ZERR, A. M., Ph. D., President and Professor of Mathematics in Russell College, Lebanon, Va.

Let  $a, b, c, d$  be the sides required. By the conditions of the problem,  $a+c=b+d$ ;  $abcd=k^2=115605504$ .....(1).

$$\frac{1}{2}r(a+b+c+d)=k, \text{ or } a+b+c+d=2k/r=448.$$

$$\therefore a+c=b+d=k/r=224$$
.....(2).

$$R=\frac{1}{2}\sqrt{\frac{(ab+cd)(ac+bd)(bc+ad)}{abcd}}.$$